

Springer Earth System Sciences

Pablo Bouza
Andrés Bilmes *Editors*

Late Cenozoic of Península Valdés, Patagonia, Argentina

An Interdisciplinary Approach



Springer

Pablo Bouza · Andrés Bilmes
Editors

Late Cenozoic of Península Valdés, Patagonia, Argentina

An Interdisciplinary Approach

Editors

Pablo Bouza
Instituto Patagónico para el Estudio de los
Ecosistemas Continentales (CCT
CONICET-CENPAT)
Puerto Madryn
Argentina

Andrés Bilmes
Instituto Patagónico de Geología y
Paleontología (CCT CONICET-
CENPAT)
Puerto Madryn
Argentina

ISSN 2197-9596

ISSN 2197-960X (electronic)

Springer Earth System Sciences

ISBN 978-3-319-48507-2

ISBN 978-3-319-48508-9 (eBook)

DOI 10.1007/978-3-319-48508-9

Library of Congress Control Number: 2016957320

© Springer International Publishing AG 2017

This work is subject to copyright. All rights are reserved by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

The publisher, the authors and the editors are safe to assume that the advice and information in this book are believed to be true and accurate at the date of publication. Neither the publisher nor the authors or the editors give a warranty, express or implied, with respect to the material contained herein or for any errors or omissions that may have been made.

Printed on acid-free paper

This Springer imprint is published by Springer Nature

The registered company is Springer International Publishing AG

The registered company address is: Gewerbestrasse 11, 6330 Cham, Switzerland

Contents

Climatic, Tectonic, Eustatic, and Volcanic Controls on the Stratigraphic Record of Península Valdés	1
Andrés Bilmes, Leandro D’Elia, José Cuitiño, Juan Franzese and Daniel Ariztegui	
Geology of Península Valdés	23
Miguel J. Haller	
Miocene Marine Transgressions: Paleoenvironments and Paleobiodiversity	47
José I. Cuitiño, María T. Dozo, Claudia J. del Río, Mónica R. Buono, Luis Palazzesi, Sabrina Fuentes and Roberto A. Scasso	
The Climate of Península Valdés Within a Regional Frame	85
Fernando Coronato, Natalia Pessacg and María del Pilar Alvarez	
Late Cenozoic Landforms and Landscape Evolution of Península Valdés	105
Pablo Bouza, Andrés Bilmes, Héctor del Valle and César Mario Rostagno	
Vegetation of Península Valdés: Priority Sites for Conservation	131
Mónica B. Bertiller, Ana M. Beeskow, Paula D. Blanco, Yanina L. Idaszkin, Gustavo E. Pazos and Leonardo Hardtke	
Soil–Geomorphology Relationships and Pedogenic Processes in Península Valdés	161
Pablo Bouza, Ileana Ríos, César Mario Rostagno and Claudia Saín	
Soil Degradation in Peninsula Valdes: Causes, Factors, Processes, and Assessment Methods	191
Paula D. Blanco, Leonardo A. Hardtke, Cesar M. Rostagno, Hector F. del Valle and Gabriela I. Metternicht	
Groundwater Resources of Península Valdés	215
María del Pilar Alvarez and Mario Alberto Hernández	

Archaeology of the Península Valdés: Spatial and Temporal Variability in the Human Use of the Landscape and Geological Resources 233
Julieta Gómez Otero, Verónica Schuster and Anahí Banegas

Animal Diversity, Distribution and Conservation 263
Ricardo Baldi, Germán Cheli, Daniel E. Udrizar Sauthier, Alejandro Gatto, Gustavo E. Pazos and Luciano Javier Avila

Index 305

Index

A

- Accommodation space, 9, 10, 13
- Active Sand Dunes, 194. *See also* dunefields
- Aeolian Erosion, 113, 114, 194, 203, 204
- Aeolic deposits, 201
- Alluvium and colluvium deposits, 38, 218
- Amphissbaenian, 268, 270
- Andean orogeny, 12
- Andes, 1, 2, 6–8, 10, 12, 14–16, 39, 74, 87–91, 234
- Animal
 - adaptive responses, 132
 - distribution, 284
 - diversity, 278, 284
 - predators, 265, 278, 283, 284
 - threats, 263, 275, 279, 285
- Annual
 - forbs, 137
 - grasses, 134, 137, 141
 - herbs, 137, 140, 142
- Anticyclone
 - atlantic, 98
 - subtropical, 85, 87, 88
- Aquicludes, 216, 219
- Aquifers
 - confined, 215, 220
 - high permeability aquifers, 216–218
 - low permeability, 218, 219, 227
 - moderate, 216
 - phreatic, 215, 220, 227
 - semi-confined, 215, 220
- Aquifuges, 216
- Aquitard, 216, 219
- Argentine continental shelf, 1, 2, 5
- Argillic horizons, 112, 175–177, 199, 237, 268
- Arid lands, 197, 265, 267
- Aridisols
 - Aquisalids, 161
 - Calcargids, 161, 169

Haplocalcids, 161, 169

Natargids, 161, 169

Natrigypsids, 161

Petrocalcids, 161

Aridity index, 99

Armadillos, 239, 246, 254, 275–277, 282, 284

Arthropods, 263–268, 279, 280, 284

Assemblages, 28, 32, 51, 57, 61–63, 65, 66, 69, 72–74, 76, 143, 185, 264, 268, 275, 277, 279, 282–284

B

- Bajada, 111, 115–118, 122, 123, 134, 149, 171
 - Barelands, 194
 - Bare soil matrix, 150
 - Barrier islands, 121
 - Basin, 2, 5, 6, 9, 12–15, 17, 18, 23, 24, 27, 28, 30, 31, 41, 42, 49, 54, 72, 91, 105–107, 109, 111–119, 123, 132, 134, 139, 143, 148–150, 163, 164, 168–172, 218, 219, 222–228, 243, 270, 272
 - Beach ridges, 35–37, 39, 107, 109, 118–121, 123, 142, 163, 171, 172, 175, 181, 182, 224, 237, 238, 242, 247
 - Biodiversity, xi, 263–265, 283, 284, 285
 - Biogeographical regions, 264
 - Biostratigraphic, 48, 72
 - Bioturbation
 - development, 30, 53, 54, 78
 - index, 52, 55, 56, 78
 - Birds, 47, 48, 66–68, 70–72, 75, 145, 241, 245, 246, 254, 263, 264, 271–275, 280, 282–284
 - Blowouts, 113, 148, 152, 203–205, 279
 - Brackish, 62, 75, 218, 222
- ## C
- Calcareous crusts, 24, 26, 32, 51, 120, 251
 - Caleta Valdés, 26, 34, 36, 37, 39
 - Carnivores, 275, 278, 281, 282

- Carrying capacity, 195
 Chon Aike magmatic province, 5
 Chronological record
 datations, 234
 Equestrian Period, 242
 middle Holocene, 241, 242
 late Holocene, 242
 Chronosequence, 167, 170, 174, 177, 187
 Chubut river, 60, 74, 234, 235
 Chuquiraga species, 132
 Circulation variability, 88
 Climate
 change, 9–11, 14, 73, 89, 91, 100, 177, 195, 210
 classification, 99, 105
 mediterranean-like, 91
 model, 11, 91, 207, 208
 transitional, 85, 99, 100
 Closed basin, 9, 105, 109, 112, 114, 115, 123, 126
 Cloud coverage, 88
 Coarse fragments, 197, 198
 Coastal
 aeolian dunes, 111, 114, 122
 bajada, 111, 118, 119, 122, 123, 161, 171, 218, 233, 237, 242, 245, 254
 dunes, 5, 11, 111, 113, 114, 122, 125, 194, 218, 222, 224, 228, 242, 254, 270, 271
 piedmont pediment, 111, 118, 119, 140, 141, 151, 161, 170, 172, 174, 201
 zone, 10, 56, 75, 105, 107, 110, 111, 114, 117, 119, 121–123, 125, 126, 140, 143, 161, 171–173, 175, 178, 219, 222, 224–226, 228, 233, 242, 254, 268, 270
 Co-dominance, 265, 267, 286
 Compatible, 264, 283–285
 Conflict (anthropic), 283, 284
 Conservation, 11, 13, 14, 77, 118, 121, 122, 131, 132, 143, 145, 147, 148, 153, 168, 169, 172, 205, 239, 263, 264, 268, 271, 274, 275, 277–279, 282, 283, 285, 286
 Continentality index, 92, 94
 Convergent margins, 12
 Creep, 194, 272, 273, 295
 Cryodisturbances, 35
- D**
 Deposits
 ash, 53, 57
 bioclastic, 55–57, 59, 61
 conglomerates, 34, 54
 heterolithic, 52, 55, 56, 59
 inclined heterolithic stratification (IHS), 52, 55
 mudstones, 23, 51, 52, 54–56, 57
 pyroclastic, 15, 23, 27, 51, 53, 55, 56
 sandstones, 23, 27, 28, 52, 54–56, 237
 shell beds, 53, 54, 55, 57, 60, 61
 volcanic, 10, 15, 27, 52, 53, 55, 56
 Desertification, 74, 88, 192, 207
 Desert pavement, 109, 126, 149, 150, 197, 198, 201
 Diet
 actualistic studies, 246
 archaeofaunal studies, 233, 246, 254
 guanacos, 240, 241, 245, 246, 254, 282
 sea lions, 240, 241, 245
 mollusks, 233, 241
 stable isotope analyses, 233
 plants, 233, 254
 high trophic level, 245
 Discharge
 local, 215, 222, 223, 227
 regional, 215, 222, 225
 Domestic herbivores, 147
 Drifting, 4–6, 16
 Drylands, 192, 277, 278, 288
 Dune fields, 109, 111, 113, 114, 143, 151, 152, 164, 194, 202, 203, 217, 218, 220, 242, 244
 Dune Mobility, 194
 Dunes
 barchans, 115, 125
 complex, 114, 117, 125
 compound, 114, 122
 dome-shaped, 114, 126
 linear, 113, 122, 126
 parabolic, 114, 126
 simple sand, 126
 star, 114, 126
 transverse, 114, 126
 Dynamic topography
 Subsidence, 12, 13
 uplift, 12, 13
- E**
 Eccentricity (orbital), 16
 Ecological
 Interactions, 144, 267, 284
 processes, 77, 278, 279, 284
 Ecosystem
 functioning, 264
 conservation, 131, 264, 285
 Ecotone, 132, 143, 153, 264
 Electric conductivity (EC), 222, 223
 Endangered, 274, 282
 Endemic, 66, 71, 145, 265, 270, 272, 282, 286
 Entisols
 Aquepts, 162, 175

- Endoaquents, 161, 162
 - Fluvaquents, 161, 175
 - Hydraquents, 161
 - Psammaquents, 161
 - Sulfaquents, 161, 175
 - Torriorthents, 161
 - Torripsamments, 161
 - Enterriense Transgression, 48, 49, 51
 - Equilibrium profile, 9, 10, 16
 - Equipotential map, 222
 - Erodibility, 193, 194, 210
 - Erosive processes, 55, 152
 - Erosivity, 193, 210
 - Eruption style, 10
 - Evaporation processes, 225
 - Evapotranspiration, 96, 98, 99, 101, 177, 226
 - Expert Judgment, 191, 196
 - Extinction, 66, 69, 286
- F**
- Facies, 41, 52–57, 59, 60, 74, 78, 223
 - Faults, 2, 6, 12, 13, 17, 33, 38, 57, 123
 - Fauna, 11, 31, 61, 63, 65–67, 69, 70, 73–78, 197, 233, 239
 - Field Monitoring, 192, 196
 - Flooding, 13, 48, 49, 51, 52, 59, 60–62, 72, 74, 76, 78, 79, 105, 125, 143, 175
 - Floristic composition
 - grassy vegetation, 131
 - shrubby vegetation, 131
 - Floristic element, 132, 153
 - Flow velocity, 224
 - Fluvial terraces, 7, 109, 164
 - Fossil
 - assemblage, 61
 - group, 48, 51, 77, 78
 - records, 68, 77, 91
 - trace, 30, 53–57, 61, 75, 76
 - Framboidal pyrite, 181, 187
 - Freshwater, 48, 56, 70, 75, 76, 222, 227
 - Formation
 - Caleta Valdés, 26, 34–37, 118, 119, 120, 121, 171, 172, 175, 182, 186, 247, 248
 - Gaiman, 14–16, 26, 28, 30, 31, 34, 39, 47, 49, 51–53, 57, 59, 60, 62, 63, 66–69, 72–74, 215, 219, 220, 237
 - Patagonian Shingle, 25, 109
 - Puerto Madryn, 11–13, 15, 28, 31–36, 38, 39, 47, 48, 51, 53–55, 57, 59–75, 77, 110, 112, 114, 150, 169, 171, 215, 218–220, 224, 237, 238
 - San Miguel, 36, 37, 39, 118, 119, 121, 171, 218, 247
- G**
- Geohydrological regions, 225, 226
 - Geomorphic surface, 107, 112, 161, 162, 164, 167–170, 172, 174, 177, 182, 187, 197
 - Glaciation, 14, 35, 109, 112, 172, 186, 187
 - Glauberite, 26, 40, 42
 - Global meteoric water line, 225
 - Golfo
 - Nuevo, 25, 30, 31, 33, 37, 39, 57, 66, 72, 106, 113, 114, 117, 118, 121–123, 125, 141, 151, 172, 222, 223, 235, 237, 240, 241, 244–246, 271
 - San José, 24, 30–32, 36, 37, 39, 106, 115, 117, 118, 120–123, 125, 141, 172, 222, 235, 239, 241, 242, 244, 246
 - San Matías, 30, 36, 38, 125, 239, 241, 245, 246, 282
 - Gondwana, 1, 3–5
 - Gran Salitral, 111, 115, 117, 149, 171, 221, 222, 227
 - Grass matrix, 148
 - Grasshoppers, 265
 - Grasslands, 150, 197, 264, 272, 274, 277, 281
 - Gravels, 11, 25, 26, 34–37, 39–41, 126, 165–167, 170, 173, 174, 178, 185, 201, 237, 238, 240, 247, 248
 - Great endorheic basins, 105, 107, 112, 114, 115, 118, 123, 134, 139, 168, 169, 171, 228
 - Greatest Patagonian Glaciation, 112
 - Greenhouse-world, 10, 17
 - Groundwater
 - balance, 220
 - flow, 221, 222
 - quality, 227, 229
 - resources, 98, 215, 216, 228, 237, 244
 - salinity, 222
 - Guanaco, 148, 233, 239–241, 244–254, 276, 278, 281–284, 286, 297
 - Gullies, 106, 109, 111, 117, 149, 150, 193, 202, 203, 237
 - Gypsum, 26, 32, 38, 40, 53, 164, 177, 179, 180, 184, 187
- H**
- Habitat
 - modification, 270, 274, 278
 - degradation, 263
 - loss, 279, 284
 - Halite, 23, 26, 38, 40
 - Halophytic, 121, 143, 153, 175, 278
 - Haplocalcid soils, 150
 - Height, 18, 87, 111, 113, 137–142, 172, 242, 257

- Herbaceous
 layer, 134, 137, 139, 141, 142, 147, 148
 perennial forbs, 134
 perennial species, 134
- Herbivore preferred species, 147
- Herpetofauna, 264, 268
- Hiatus, 32, 60
- Holocene Climatic Optimum, 121
- Human
 activities, 153, 194, 263, 264, 277–280,
 282–285
 infrastructure, 277
 related factors, 280
- Hunting, 245, 246, 249, 257, 280–282, 286
- Hyalix argentea, 113, 134, 137, 139, 146–148,
 151, 152, 156, 168
- Hydraulic conductivity, 216, 229
- Hydrochemistry, 216, 222, 227, 229
- Hydrogeological
 system, 226
 units, 216, 218
- Hydrogeology, 215, 216, 229
- Hypersaline water, 228
- I**
- Ice-sheets, 10, 13, 17
- Ice-wedge casts, 11, 110, 112, 126
- Ice-world, 11, 17
- Ichnofacies
 Cruziana, 53, 54
 Glossifungites, 57
 Skolithos, 54
- Illite, 182, 184, 251
- Infiltration, 199, 201, 205, 210, 217, 220,
 225–227, 228
- Inland-wetlands, 264, 272, 274, 283, 292
- Insects, 263–265, 286
- Insolation, 11
- Interdune wetlands, 217
- Intermediate selectivity, 281
- Interspecific competition, 281
- Intertidal environments, 143
- Invertebrates
 Bivalves, 53, 63, 65
 Brachipodos, 63
 Bryozoans, 63
 Corals, 63
 Decapods, 63
 Echinoids, 53, 63
 Gastropods, 53, 63, 65
 Molluscs, 57, 63, 237
 Oysters, 53, 56, 57
- Islands of Fertility, 193
- Isotopic composition, 162, 182, 224, 225, 228
- Istmo Carlos Ameghino, 51, 52, 57, 59, 60, 67,
 72, 121, 122, 134, 175, 222, 270
- IUCN, 264, 274, 286
- K**
- Köppen-Geiger, 99
- L**
- La Pastosa-Punta Delgada, 52, 57, 59, 60, 61,
 69, 71, 75
- Land degradation, 149, 193, 195–197, 199,
 203, 210, 283
- Landforms hierarchically classification, 106
- Landscape
 evolution, 35, 105, 106, 122–125
 bajadas, 115, 117, 118, 134, 139, 149,
 150, 169, 171, 201, 218, 237, 242,
 254
 clay minerals, 234
 Gullies, 106, 109, 111, 117, 149, 150,
 202, 203, 237
 lithic raw material, 237, 240, 245, 247,
 249, 251, 255
 restingas, 237
 sandy environments, 237, 242
 water supply, 237, 240, 244
- Larrea species, 132
- Lava flows, 15
- Life form
 deciduous shrubs, 133
 dwarf shrubs, 134
 evergreen shrubs, 133
 forbs, 133
 grasses, 133, 134
 shrubs, 133, 134
- Lithic Technology
 bipolar flaking, 247, 248, 255
 anvils, 248, 249, 255
 cores, 248
 flakes, 247, 248
 hammer stones, 249, 255
 direct percussion, 247, 248, 255
 blades, 248
 cores, 248
 flakes, 247, 248
 hammer stones, 248, 255
 dispersive X-Ray analyses, 248
 expedient artefacts, 248
 geochemical analyses, 248
 instruments
 bolas, 246, 249
 burins, 249, 255
 drills, 249, 255
 fishing weights, 246, 248, 249, 255

- hand stones, 248, 249
- knives, 246, 249, 255
- manos, 248, 255
- metates, 248
- mortars, 249
- projectil points, 246, 249, 255
- scrapers, 246, 248, 249, 255
- lithic raw material
 - basalt, 237, 247–249, 255
 - chalcedony, 249, 255
 - obsidian, 248, 249, 255
 - porphyritic rocks, 248, 249
 - riolite, 247
 - silica, 237, 255
 - sandstone, 237, 248, 255
 - xylopal, 249, 255
- macroscopic analyses, 251
- nodules, 247, 248, 255
- pebbles, 248, 249, 254, 255
- sampling, 247
- Scanning Electron Microscope, 248
- Lithologic discontinuities, 164, 180
- Lithostratigraphic unit, 49, 51, 164
- Livestock, 148, 195, 203–205, 279, 281, 283
- Lizards, 268, 270, 271
- Llanquihue glaciation, 172, 186
- Logging, 279, 280
- Low marsh, 143, 145, 176
- M**
- Major ionic composition, 222, 224
- Mammals, 48, 66, 67, 70, 71, 73, 76, 145, 239, 241, 245, 246, 254, 263, 264, 271, 275–277, 280, 282, 284, 297
- Management plan, 148, 264, 283, 285
- Marine
 - Coast, 143, 234
 - terraces, 13, 14, 233, 254
- Marine Isotope Stages
 - MIS 1, 121
 - MIS 5, 120
 - MIS 7, 120, 123
- Maritime influence, 85, 92, 93, 94
- Marshes, 75, 118, 119, 121, 122, 126, 132, 143–145, 161, 162, 170, 174–176, 178, 180, 181, 186, 222, 272
- Marsupials, 272
- Mass wasting processes, 112, 126
- Maximum Flooding, 51, 52, 59, 60, 61, 62, 72, 74
- Megapatches, 194, 202
- Meteorological records, 100
- Mid-Holocene Thermal Maximum, 121, 125
- Milankovitch cycles, 11, 14
- Miocene
 - early, 7, 14, 25, 30, 31, 39, 49, 51, 60, 68, 69, 71–74
 - late, 12, 23, 28, 31, 34, 36, 39, 47–49, 63–66, 68–76
 - middle, 7, 11, 31, 39, 48, 66, 69, 73, 74
- Modelling, 229, 267, 280
- Monitoring, 100, 196, 202, 209, 284, 285
- Monte, 100, 132, 263, 264, 268, 270, 274, 277, 279, 284
 - Monteeco-region, 264, 274, 277, 278
- Morphospecies, 265
- Mosaic, 134, 137–139, 146–148, 193, 264
- Mudstones, 23, 26–28, 30–33, 47, 51, 52, 54–57, 76, 219
- Mulinum spinosum, 140, 146, 151, 155, 205
- N**
- Nassella tenuis, 134, 137, 138, 147, 150, 151, 154, 164
- Near threatened, 282
- Nebkas, 109, 114, 126
- Neogene, 12, 23, 25–28, 30, 38, 42, 57, 59, 61, 63, 65, 68, 73, 75, 77, 106, 109, 237
- Non-saturated zone (NSZ), 215, 220, 230
- North Patagonian Massif, 2–4
- O**
- Obliquity, 11, 17
- Oil exploration drill, 27
- Orbital changes, 10, 11
- Orogenic wedge, 12, 17
- Overgrazing, 191, 194, 195, 199, 202, 203, 206, 210, 270, 279
- Overland Flow, 193, 199, 200, 210
- P**
- Paddocks, 195, 203, 204, 278, 281
- Paleoenvironments
 - inner estuary, 55
 - nearshore, 47, 52, 54, 57, 59, 60, 61, 76
 - neritic, 62
 - offshore, 2, 27
 - outer estuary, 59
 - rivers, 15, 17, 35, 56, 60, 74
 - saltmarsh, 75
 - shallow marine, 9, 10, 27, 49, 51, 54, 55, 61, 76
 - shelf, 28, 39, 47, 52–55, 57, 59, 60, 61, 74
 - shoreface, 52, 54, 75
 - subtidal, 55, 56
 - swamp, 62, 75
 - tidal channel, 47, 52, 55, 59, 61, 75, 176
 - tidal flat, 47, 56, 59, 60

- tidal-fluvial, 55, 61, 75
- Paleosols, 172, 175, 177, 180, 182, 186
- Palygorskite, 162, 182, 184, 186
- Palynomorphs
 - dinoflagellates/dinocysts, 61, 62
 - forest, 62, 76
 - herbs, 62
 - neotropical, 62, 76
 - palms, 62
 - pollen, 61, 62, 76
 - shrubs, 62, 76
 - spore, 61, 62, 76
 - trees, 62
- Passerines, 274, 275, 280, 282
- Patagonia
 - eco-region, 263, 264, 271, 274, 277, 278
 - terrane, 2, 4
- Patagonian
 - foreland, 1–3, 6, 7, 12, 15, 39, 99, 109, 234, 235
 - steppe, 99, 239, 264, 268, 270, 271, 275
- Patagoniense Transgression, 14, 48, 49, 72
- Patchy, 77, 132, 134, 138, 193
- Patterns, 11, 53, 73, 87, 88, 92, 96, 106, 118, 120, 182, 186, 193, 201, 202, 207, 254, 265, 267, 272, 277–279, 282, 283
- Pediments, 115, 117, 118, 122, 123, 134, 139, 141, 149–151, 161, 168, 169, 171, 172, 201, 242
- Pedogenic carbonates
 - alpha-type micro-fabric, 177
 - circum-granular cracks, 177, 179
 - floating coarse mineral components, 177, 179
 - lenticular gypsum aggregates, 177, 179
 - matrix nodules, 177, 179
 - micritic calcite, 177
 - ooids, 177, 179
 - pellets, 177
 - pendant, 177, 179
 - rhombohedral micrite, 177, 179
 - beta-type micro-fabric, 177
 - calcified filaments, 179
 - calcispheres, 177
 - needle-fiber calcite, 177, 179
 - calcification, 161, 177, 179
 - gypsification, 161, 179
 - illuviation, 161, 176
 - stable isotopic composition, 182
 - d13C, 185, 186
 - d18O, 162, 182, 185, 186, 225, 228
 - sulfidization, 161
- Perennial grass steppes, 133, 134
- Permeability, 216–219, 226, 227
- Phreatic aquifer, 215, 220, 230
- Physiognomic, 131, 133, 153
- Phytogeographical
 - districts, 100, 132
 - central, 132
 - provinces, 132, 153, 277
 - Monte, 132, 264
 - Patagonian, 132
- Piedmont Pediment, 111, 115, 116, 118, 119, 139–141, 149–151, 161, 168–170, 201
- Pilot Studies, 192, 196
- Plant canopy, 139, 142, 143
- Plant community zonation, 143
- Plant cover, 134, 137–141, 146, 148, 153, 193, 197, 210, 267
- Playa lake, 26, 38, 111, 115–117, 134, 149, 169–172, 222, 223, 225, 272
- Pleistocene glaciations, 109
- Poaching, 263, 279
- Polygenetic soils, 188
- Populations, 158, 228, 233, 254–256, 264, 270, 271, 278, 280, 283
- Porosity, 218, 219, 229
- Pottery Technology
 - actualistic studies, 246
 - building, 251, 280
 - pinching, 251
 - ring building, 251
 - ceramic matrix, 251
 - aggregates, 251, 254
 - clay, 233, 234, 237, 251, 254, 255
 - soils, 168, 251, 269, 270, 278
 - decoration, 253, 257
 - engobe, 253, 257
 - painting, 253
 - polishing, 253
 - 3-D digital reconstructions, 251, 253
 - exchange, 249, 253, 254, 255
 - alloctonous pieces, 254
 - functionality, 242, 248
 - domestic activities, 233, 255
 - dynamic pieces, 253
 - gas chromatography, 246, 251
 - isotope analyses, 233, 243, 244, 246, 251
 - local development, 251
 - morphology, 251, 254, 268, 277, 284
 - bases, 233, 251
 - handle, 251, 253
 - mouths, 251
 - necks, 251
 - shapes, 251
 - macroscopic analyses, 251
 - petrography, 248, 251
 - volume, 253

- weight, 246, 248–250, 253, 255, 257
- x-ray, 248, 251
 - diffraction, 251
 - images, 251
- Precession (axial), 17
- Precipitation
 - gradient, 76, 87, 88, 94, 193, 203, 204, 228
 - interannual variability, 89, 90, 94
 - seasonality, 133, 186
- Predictive models
 - optimal foraging theory, 240
 - central place model, 240
 - diet breadth model, 240
 - patch choice model, 240
 - regional preliminary model, 240
 - average diet, 241
 - coastal productivity, 237, 240, 241
 - hierarchy, 241
 - water availability, 241
- Present beach, 36, 111, 119, 121, 125
- Pressure
 - cells, 101
 - gradient, 87
 - systems, 88, 98
- Priority sites, 118, 121, 132, 143, 153, 168, 169, 172, 239, 268, 271, 277, 279
- Protected area, 263, 264, 265, 284
- Proximal areas, 9, 10, 15, 17
- Proxy, 8, 17, 162
- Psammophile plant species, 168
- Puerto Pirámide, 41, 52, 57, 59–61, 67, 72, 75, 90, 94, 216, 222, 223, 278
- Punta
 - Buenos Aires, 32, 51, 70, 71
 - Cero, 32
 - Cono, 32, 37
 - Delgada, 32, 52, 57, 59–61, 69, 70, 75, 92, 93, 97–100, 236, 240, 241, 244, 245
 - Hércules, 33
 - Ninfas, 37, 198
 - Norte, 32, 240
 - Pardelas, 37, 241
- Pyroclastic content, 53
- R**
- Rainfall, 11, 85, 87–95, 97, 99–101, 106, 162, 177, 193–195, 199–201, 208, 268, 272
- Rain shadow, 11, 74, 85, 99
- Rainsplash erosion, 197
- Rangeland degradation, 143, 191–199, 201, 279
- Raptors, 272, 274, 282, 283
- Ratites, 272
- Rawson Basin, 2, 5, 6
- Recharge
 - mechanism, 226, 228
 - zone, 215, 217, 224
- Recreational activities, 279, 280, 284
- Redoximorphic features
 - nodules, 171, 176, 177, 180
 - rhizo-concretions, 180, 181
 - stratified sediments, 179, 180
- Regressive sequence, 32, 48, 51, 59–61, 75, 79
- Remote Sensing, 191, 196, 197, 202, 209, 210
- Reptiles, 263, 264, 268–270, 280, 283, 292
- Retroarc foreland basins, 12, 15, 17
- Riacho San José, 37, 121, 122, 144, 145, 175, 176, 181, 222
- Rifting, 3–6, 17
- Rills, 106, 149, 193, 202, 203
- Río de la Plata craton, 2–4
- Rodados Patagónicos, 11, 15, 16, 25, 34, 109, 110, 112, 123, 161, 164, 168, 182, 186, 218, 222, 226, 227, 237, 247
- Rodents, 70–72, 197, 246, 275, 277, 278
- Rooting depth, 133
- Runoff, 35, 106, 112, 169, 175, 193, 197, 199, 201
- S**
- Salina
 - Chica, 23, 38, 40, 41, 111, 115–117, 123, 221, 222, 224, 225, 227, 228, 237, 240–242, 254
 - Grande, 23, 40, 41, 111, 115–117, 123, 221–223, 225, 227, 228, 240, 242, 243, 254, 256
- Salt
 - flats, 40
 - marshes, 118, 119, 121, 126, 132, 143–145, 161, 162, 170, 174–176, 178, 181, 272
- Saltation, 194
- Sandstones, 4, 23, 26–28, 31–33, 47, 51, 52, 54–56, 215, 219, 220, 233, 237, 248, 255
- Sandy
 - beaches, 114, 151
 - soils, 133, 188, 270, 278
- Sarcocornia marshes, 145
- Sea-level
 - eustasy, 13, 16
 - glacioeustasy, 13
 - tectono-eustasy, 13
 - relative, 10, 13, 14
- Sedimentary
 - basin, 9, 14, 15, 17, 41
 - environment, 10, 15, 16, 35
 - flux, 18
 - routing system, 1, 9, 16, 17

- structures, 51, 53, 54, 75, 78, 79
 - cross stratification/bedding, 54
 - current ripples, 56
 - hummocky cross-stratification, 54
 - massive, 54, 75
 - mud drapes, 55
 - parallel stratification, 54
 - planar lamination, 55
 - ripple lamination, 55
 - sand-mud couplets, 55
 - through cross stratification, 54
 - wave ripples, 55
- Sediments, 1, 9, 10, 13, 15–17, 23–28, 30, 36, 38, 39, 41, 47, 54, 56, 60, 61, 66, 68, 69, 72, 77, 109, 112, 114, 115, 117, 118, 143, 169, 172, 176, 180, 181, 192, 194, 218, 219, 220, 227, 228
- Sepiolite, 162, 182, 184, 186
- Sheep
 - ranching, 274, 278–283
 - grazing, 146, 148, 149, 195, 198, 205, 206, 279
- Sheet erosion, 117, 193, 199
- Shoreline, 7, 13, 16, 36, 54, 114, 118, 120, 121, 194
- Shrubby
 - layer, 137–139, 141, 142, 172
 - matrix, 133
 - steppes, 133, 134, 138
- Shrublands, 150, 264, 268, 272, 274, 278, 281
- Site diversity
 - base camps, 242, 244, 251
 - human burials, 237, 242, 243
 - locations, 149, 151, 242, 243
 - palimpsests, 242
 - post-depositional, 242
 - shellmiddens, 242, 243
 - transient camps, 242, 243
- Slab
 - pull, 12
 - window, 7, 12, 18
- Slope
 - gradient, 193
 - length, 193
- Smectite, 162, 182, 184, 186, 251
- Snakes, 268, 271
- Sodium
 - bicarbonate, 223, 224, 227, 228
 - chloride, 223, 224, 228
 - chloride-sulfate, 181
- Soil
 - compaction, 88, 193, 279
 - complex, 161, 169, 172, 188
 - degradation, 113, 143, 147, 186, 191–197, 201, 209
 - factors, 196, 197
 - processes, 191, 192, 197, 209, 210
 - detachment, 193, 199
 - fertility, 192
 - moisture, 133, 161, 186, 202, 222
 - organic matter, 198
 - properties, 165, 168, 170, 173, 178, 192
 - roughness, 194
 - structure, 192
 - texture, 194, 210
- Solifuges, 265, 286
- Southern Andes, 1, 2, 8, 14, 89
- Southern Volcanic Zone (SVZ), 15
- Spartina marshes, 145, 155, 176
- Species
 - arrangement, 131, 133, 138
 - composition, 69, 140, 143, 206, 275, 277, 280, 282, 284
 - richness, 66, 265, 267, 270, 274, 279, 284
- Spiders, 263–265
- Sporobolus rigens, 113, 137, 146, 151, 168
- Spring, 89, 94, 116, 133, 194, 195, 208, 223, 237, 239, 245, 275
- Springtail, 265
- Squamata, 270, 292
- Stabilized Aeolian Field, 109, 111, 113, 134, 137, 139, 143, 147, 148, 151, 152, 161, 164, 168, 217, 218, 220, 226
- Stocking rate, 195, 206, 279, 281, 282
- Stratum, 133, 134, 139–142, 150–152, 205, 206
- Streams, 89, 118, 151, 172, 220
- Strict reserves, 147
- Structural high, 39
- Subsidence, 9, 10, 12–14, 16, 87
- Sulfidic materials, 122, 176, 180, 181
- Surface
 - hydrological processes, 193, 197, 227
 - runoff, 35, 106, 112, 169, 193, 197, 199
- Survey, 105, 109, 148, 162, 175, 181, 196, 197, 209, 220, 256, 268, 275, 279, 281, 283, 284
- Suspension, 56, 74, 194
- Sustainable, 203, 205, 210, 264, 283–285

T

Taxa

- abundance, 62, 263, 265, 267, 279, 283–284
- definition, 264, 279

Temperature

- gradient, 76, 87–88, 92, 94
- interannual variability, 89, 94
- paleo, 8
- range, 75, 99

Terrace levels, 109, 123, 147, 149, 150, 164, 182, 201, 224, 226, 227

Terrain Tertiary Patagonien, 24

Terrestrial

- arthropods, 263
- birds, 263
- mammals, 263

Tertiary beds, 24, 25, 28

Tidal

- amplitude, 143
- plain, 121

Tourism, 216, 283, 284

Trace fossil

- asterosoma, 53
- chondrites, 53
- helicodromites, 53
- planolites, 53
- rosselia, 53
- teichichnus, 53
- thalassinoides, 53

Transgressive sequence, 32, 78

Trelew, 90, 94, 100

Two phase mosaic, 137, 138, 141

U

UNESCO, 77, 147, 264, 278

Ungulate, 71, 278, 281

Unsaturated

- definition, 223, 225
- zone, 225, 227

Uplands and Plains, 105, 107, 109, 111, 132–134, 143, 146, 147, 149, 164, 165, 168, 225–227

Uplift

- foreland, 7
- fault-block, 12

V

Valdés Basin, 5, 6, 27, 28

Vegetation

- community, 118, 145, 150–153, 279

condition, 106, 117, 131, 133

ground Cover, 193, 279

physiognomy, 264

resources, 191, 192

edible, 239

medicinal, 239

woody species, 239

spatial Pattern, 193

structure, 267, 277, 280

units, 161, 168

Vertebrates

birds, 48, 66, 67, 241, 245

cetacean, 48, 61, 66, 244

elasmobranchs, 66, 67

fish, 48, 61, 66, 67, 74, 76, 241, 244, 245

mammals, 48, 67, 241, 245

osteichthyans, 66, 67

penguin, 47, 61

pinnipeds, 47, 66, 244

Vesicular horizon, 164

volcanic edifices

composite volcano, 14

calderas, 14

Volcanic explosivity index (VEI), 8, 15

Volcanism, 6, 7, 9, 10, 14–16

W

Water

bearing, 219, 229, 230

erosion, 88, 106, 192, 193, 197, 199, 202, 242, 280

table, 117, 171, 176, 218, 223, 228

Waterbirds, 272

Watersheds, 220, 222

Wave-cut platforms, 118, 119, 122, 237

Westerly winds, 74, 98, 114, 152, 194

Wildfires, 194, 195, 207, 279

Wildlife, 147, 263, 264, 278, 279, 281, 283–285

Wind

chill, 88

erosion, 123, 143, 191–194, 197, 201–203, 206, 209

severity, 193

speed, 88, 194, 205

storms, 194

trend, 98, 114, 203

World Natural Heritage Site, 264

X

Xeric Calciargid, 166, 168, 170, 173, 176, 198

Z

Zoological resources

- terrestrial vertebrates, 239
 - armadillos, 239
 - choiques, 239
 - guanacos, 239

marine fauna, 239

- birds, 239
- fish, 239
- mollusks, 239
- sea lions, 239

Springer Earth System Sciences

Pablo Bouza · Andrés Bilmes *Editors*

Late Cenozoic of Península Valdés, Patagonia, Argentina

An Interdisciplinary Approach

This book presents extensive and new information on the Cenozoic marine and continental systems of one of the most important world heritage sites of Southern South America: The Peninsula Valdés. From an interdisciplinary approach, that includes geological, biological and archeological perspectives of more than 30 specialists, an integrated description and analysis of the Cenozoic environments of the study region is carried on. The volume brings together an update of the geology, climate, geomorphology, soils, biodiversity, archeology and human impact of the Peninsula Valdés. The scope of this book extends to any natural science researcher of the world interested on the Cenozoic history of the Peninsula Valdés.

Earth Sciences

ISBN 978-3-319-48507-2



9 783319 485072

► springer.com